



B5720
Black



B58FRM
Ironstone



B5670
Antique Brass



B8431
Verde Copper

Ordering Guide

2 B2415 WBZ CBG MED

2 - Quantity
B154FSM - Model Number
VTC - Finish Code
CBG - Panel/Globe Code
MED - Wattage, Lamping or other options






























All products are made to order, please consult factory for lead time.

Jefferson / Grande Jefferson

B5600 – small
B5800 – medium
B5700 – large
B8400 – grande

Standard on all fixtures below:

- Small Series > Porcelain medium base socket with painted socket cover - 60w max., Clear beveled glass panels standard
- Medium Series > 3-light painted candelabra cluster and socket covers - 25w max. per socket, Clear beveled glass panels standard
- Large Series > 4-light painted candelabra cluster - 25w max. per socket (B5720, B5721, B5772, B57FRM - 3-light candelabra), Clear beveled glass panels standard, Optional - frosted chimney, brass holder and panels
- Grande Series > 4-light candelabra sockets with painted candle cluster and socket covers - 40w max. per socket (B8420-1 - 3-light candelabra), Clear acrylic panels standard, Glass not available, Optional - frosted chimney, brass holder and panels
 - Higher wattages may be used ONLY with glass
- Cast aluminum construction, painted finials and spindles
- All finishes available, see page 80

 <p>B5670 H: 18³/₄" W: 6³/₄" EXT: 9³/₄" T/O: 14³/₈"</p>	 <p>B5675 H: 21⁵/₈" W: 6³/₄" EXT: 9³/₄" T/O: 14³/₈"</p>	 <p>B5672 H: 17¹/₄" W: 6³/₄" EXT: 9³/₄" T/O: 4⁵/₈"</p>	 <p>B56FRM H: 14⁷/₈" W: 6³/₄" EXT: 10¹/₈" T/O: 8³/₄"</p> <p>B56FSM H: 15¹/₂" W: 6³/₄" EXT: 10¹/₈" T/O: 6¹/₄"</p>	 <p>B5630 H: 15³/₈" W: 6³/₄" Post NOT included</p>	 <p>B5620 H: 14" W: 6³/₄" H: 28⁵/₈" CHAIN: 12"</p>	 <p>B5621 H: 15¹/₂" W: 6³/₄"</p>	
 <p>B5870 H: 24¹/₄" W: 9³/₈" EXT: 12³/₄" T/O: 19¹/₈"</p>	 <p>B5875 H: 28³/₄" W: 9³/₈" EXT: 12³/₄" T/O: 19¹/₈"</p>	 <p>B5872 H: 21³/₄" W: 9³/₈" EXT: 12³/₄" T/O: 5¹/₄"</p>	 <p>B58FSM H: 21¹/₄" W: 9³/₈" EXT: 14³/₄" T/O: 11"</p> <p>B58FRM H: 20³/₈" W: 9³/₈" EXT: 14³/₄" T/O: 10"</p>	 <p>B5830 H: 19¹/₂" W: 9³/₈" Post NOT included</p>	 <p>B5820 H: 18¹/₈" W: 9³/₈" H: 44³/₈" O/A CHAIN: 24"</p>	 <p>B5821 H: 19⁵/₈" W: 9³/₈"</p>	 <p>B5851 H: 24¹/₄" W: 3⁶/₈" EXT: 12³/₄" T/O: 19¹/₈"</p>
 <p>B5770 H: 27⁵/₈" W: 11¹/₄" EXT: 13⁵/₈" T/O: 22¹/₂"</p>	 <p>B5775 H: 31⁷/₈" W: 11¹/₄" EXT: 13⁵/₈" T/O: 22¹/₂"</p>	 <p>B5772 H: 25³/₈" W: 11¹/₄" EXT: 13⁵/₈" T/O: 6¹/₂"</p>	 <p>B57FSM H: 24³/₈" W: 11¹/₄" EXT: 15⁵/₈" T/O: 14³/₈"</p> <p>B57FRM H: 24" W: 11¹/₄" EXT: 15⁵/₈" T/O: 10"</p>	 <p>B5720 H: 20¹/₂" W: 11¹/₄" H: 47" O/A CHAIN: 24"</p>	 <p>B5721 H: 22" W: 11¹/₄"</p>	 <p>B5730 H: 22³/₄" W: 11¹/₄" Post NOT Included</p>	 <p>B5751 H: 27⁵/₈" W: 3⁷/₂" EXT: 13⁵/₈" T/O: 22¹/₂"</p>
 <p>B8417 H: 35³/₄" W: 14³/₄" EXT: 21¹/₂" T/O: 26³/₄"</p>	 <p>B8418 H: 47" W: 14³/₄" EXT: 21¹/₂" T/O: 26³/₄"</p>	 <p>B8431 H: 32¹/₄" W: 14³/₄" Post NOT Included</p>	 <p>B8420-1 H: 31³/₄" W: 14³/₄" H: 59" O/A CHAIN: 24"</p>	 <p>B8461 H: 39³/₈" W: 14³/₄" Pier base included</p>	 <p>B8450 H: 39³/₈" W: 37¹/₂"</p>		

GRANDE JEFFERSON

8432BP - 8432R3 - 8432R5 - 84371B

8410WA - 8438BP - 8438R3 - 8438R5

Post Top

Sitescape®

SITE • ROADWAY • AREA LIGHTING



8432BP

H: 30 3/4"

W: 14 3/4"

FITTER: 3" I.D.

Finish: Verde Bronze (VBZ)

Hanover®

LANTERN


Handcrafted in America

FEATURES & SPECIFICATIONS

model no. shown: **8432R3**
dimensions: **H: 31" W: 14 3/4"**
E.P.A.: **1.22**
max. weight: **44 lbs.**

Sitescape
SITE • ROADWAY • AREA LIGHTING


- Cast aluminum finial, cap and neck.
- Cast aluminum solid hinged roof for easy relamping.
- Cast aluminum cage.
- Clear acrylic panels shown.
- Panels secured to cage with clips and screws.
- Ballast and component parts mounted inside 2 pc. cast aluminum moisture proof ballast housing
- Removable access door and slide-out ballast tray. (supplied with quick disconnects for easy removal)
- Cast aluminum post fitter slips over 3" dia. post or tenon.
- Six 5/16-18 stainless steel allen head set screws secure fixture to post or tenon.
- ETL and cETL listed.



PRODUCT INFORMATION

Order Example:

HPS 8432R3 VBZ CP 100 120 83 10



- 1** Source
- 2** Model No.
- 3** Finish
- 4** Panels
- 5** Wattage / Socket
- 6** Voltage
- 7** Optics
- 8** Photoeye

Source / Wattage / Socket (Med. or Mog.)

Incandescent (INC) - 250W max.
High Pressure Sodium (HPS) - 35W, 50W, 70W, 100W, 150W, 250W
Metal Halide (MH) - 70W, 100W, 150W, 250W
LED - Consult Factory

Finish

All Finishes Available (see page 3)

Panels

CA - Clear Acrylic CP - Clear Polycarbonate
OA - Opal Acrylic OP - Opal Polcarbonate
PP - Prismatic Polycarbonate

Voltage

120, 208, 240, 277

Optics

81 - 6" Refractor Type V83 - 8" Refractor Type V
82 - 6" Refractor Type III 84 - 8" Refractor Type II

Photoeye

10 - 120V only
11 - 208/277V (Must be installed in post only)



To ensure prompt and efficient processing of your order,
Please follow the sequence listed in the example above.

PHOTOMETRIC DATA

Asymmetric Distribution

Fixture: 8432R3
Lamp: 150w H.P.S.
Lamp Lumens: 16,000


Optics: Type III Cutoff
Mounting Height: 12'
Panels: Clear polycarbonate



Mounting height multiplier for isolux.

Mtg.Ht.(ft.)	10'	11'	12'	13'	14'
Correction factor	1.4	1.2	1.0	.86	.73

PRODUCT VISUAL INDEX



Hanover
LANTERN
Handcrafted in America